



### Fuel can-20 l

PE-with flexible spout

**Item number:** 21 147  
**EAN:** 4103810211478  
**Discount group:** A

### Technical data

**Capacity (l):** 20  
**UN approval:** un 3H1 / Y /100/ CZ / PRESSOL - IMET 2233  
 As of 01.06.2015, all fuel cans (UN) must be marked by the end user in accordance with the GHS / CLP Regulation. For identification use our labels, Item no. (80 967).



**Material jerrycan:** HDPE (high density polyethylene)  
**Colour of can:** dark grey, RAL 7021  
**Material jerrycan locking cap and adapter:** polypropylene  
**Material discharge spout and fixation strap:** LDPE (polyethylene of low density)  
**Colour locking cap:** red, RAL 3001  
**Colour fixation strap and adapter:** steel-grey, RAL 7011  
**Colour discharge spout:** white, transparent  
**Length of discharge tube (mm):** 245  
**Diameter discharge spout outside (mm):** 20  
**Height (mm):** 433  
**Base LxB (mm):** 381 x 201  
**Weight (kg):** 0,95



### Specification

- Flexible discharge spout with integral ventilation
- Spout is stored inside jerrycan
- Cover cap is secured against loss with flexible band
- With EAN bar code

### Special notes

- Suitable for liquid fuels
- With two-side view line and scale to monitor the fill level
- Reduced effort application through the recessed grip
- No rusty splits in the fuel
- Less water condensate in the jerrycan
- Integral discharge spout to be stored in the jerry can complete with patented jerrycan locking cap
- No contamination of the discharge spout when storing the jerrycan in a vehicle
- Lower conductivity of temperature in comparison to metal version
- Robust and resistant against impact
- UN-approval



### Packaging

**Packing unit:** 1,0

